

**NOTE: FIELD REMOVE FOAM AND LINER AT CUTBACK.**

FIELD-FILL W/ COMPRESSIBLE INSULATION  
(NOT BY IMP SUPPLIER)

SR\_ INSIDE CLOSURE STRIP  
W/  $\frac{3}{4}$ " x  $\frac{3}{32}$ " BUTYL TAPE  
SEALANT AT TOP & BOTTOM

$\frac{1}{4}$  - 14 x  $\frac{7}{8}$ " STITCH TEKS 6" O/C


"LE-\_\_" LOW EAVE TRIM

BUTYL SEALANT

POP RIVET 12" O/C

"WC-01" PANEL CLIP W/  
(\_)  $\frac{1}{4}$  - 14 x \_" TEK 3 W/O  
WASHER AT PANEL JOINT

BUTYL SEALANT AT  
VERTICAL JOINT



SR\_ ROOF PANEL CLIP W/  
(\_)  $\frac{1}{4}$  - 14 x 2" TEK 3 W/O WASHER  
PER CLIP, PER PANEL AT EAVE STRUT

BUTYL TAPE SEALANT

BUTYL TAPE SEALANT (MARRY  
TO VERTICAL SEALANT)

EAVE STRUT  
(NOT BY IMP SUPPLIER)

**NOTE: DO NOT OVER-DRIVE FASTENERS. IF THE METAL AT THE EDGE OF THE PANEL IS DEFORMED OUT OF PLANE, THE ADJACENT PANEL WILL BE DIFFICULT TO ENGAGE AND WILL NOT SEAM. AFTER SR CLIP HAS BEEN INSTALLED OVER MALE LEG OF STANDING SEAM PANEL, PRE-CRIMP, USING  $\frac{1}{2}$ " HAND CRIMPING TOOL.**

# # GUTTERLESS EAVE

(SECTION VIEW)



DETAIL: **GUTTERLESS EAVE**

APPLICATION: SR ROOF, COMMERCIAL & INDUSTRIAL	DATE: 02/09/23	SHEET: 1
AWIP DETAIL NUMBER: SRR-ACL-GE-001	DRAWN BY: MMF	OF 1

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

**All Weather**  
Insulated Panels

**AWIP**