

FIELD-CUT
THERMAL BREAK

SECONDARY FRAMING
(NOT BY IMP SUPPLIER)

"OC-02 " OUTSIDE CORNER
W/ #10 x 3/4" PPH 12" O/C
(SET TRIM IN BUTYL SEALANT)

() 1/4 - 14 x _ TEK 3
FASTENER W/ WASHER,
PER PANEL AT EACH
SECONDARY SUPPORT

NOTE: FIELD CUT STARTING PANEL
AND ENDING PANEL AS REQUIRED
AT CORNER TRANSITION.

"IC-05 " INSIDE CORNER W/
POP RIVETS 12" O/C
(SET TRIM IN BUTYL SEALANT)

PEEL & STICK BITUMEN MEMBRANE

1/2" DIAMETER BEAD
OF BUTYL SEALANT

CORNER TRANSITION - SCULPTED INSIDE

(PLAN VIEW)

DETAIL:

CORNER TRANSITION - SCULPTED INSIDE

APPLICATION:
VERTICAL WALL, COLD-STORAGE
AWIP DETAIL NUMBER:
AWW-ACS-CT-004

DATE:
04/02/19
DRAWN BY:
MMF
SHEET:
1
OF
1

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather
Insulated Panels

