

FIELD-CUT
THERMAL BREAK

ONE-PART EXPANDING
FOAM SEALANT
(NOT BY IMP SUPPLIER)

SECONDARY FRAMING
(NOT BY IMP SUPPLIER)

"OC-02" OUTSIDE CORNER
W/ #10 x 3/4" PPH 12" O/C
(SET TRIM IN BUTYL SEALANT)

() FAS 10-4 FABLOK AT EACH
SECONDARY SUPPORT

PEEL & STICK BITUMEN
MEMBRANE

NOTE: FIELD CUT STARTING PANEL
AND ENDING PANEL AS REQUIRED
AT CORNER TRANSITION.

"IC-02" INSIDE CORNER W/
POP RIVETS 12" O/C
(SET TRIM IN BUTYL SEALANT)

() 1/4 - 14 x _ TEK 3
POLARFAST FASTENER, PER
PANEL AT EACH SECONDARY
SUPPORT

CORNER TRANSITION - FLAT INSIDE (FREEZER)

(PLAN VIEW)

DETAIL:

CORNER TRANSITION - FLAT INSIDE

APPLICATION:
VERTICAL WALL, COLD-STORAGE
AWIP DETAIL NUMBER:
AWW-ACS-CT-007

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather
Insulated Panels



DATE: 04/02/19
DRAWN BY: MMF
SHEET: 1 OF 1