

HR\_ INSIDE CLOSURE STRIP  
W/  $\frac{3}{4}$ " x  $\frac{3}{32}$ " BUTYL TAPE  
SEALANT AT TOP & BOTTOM

"GH-01" GUTTER HANGER AT  
INTERIOR HI-RIBS 40" O/C ATTACH  
W/ (4)  $\frac{1}{4}$ " - 14 x  $\frac{7}{8}$ " STITCH TEKS

$\frac{1}{4}$ " - 14 x  $\frac{7}{8}$ " STITCH  
TEKS 6" O/C

"GT-01" GUTTER TRIM

"ET-03" EAVE TRIM W/  
STITCH TEK 12" O/C  
(SET IN BUTYL SEALANT)

"BB-01" BIRD BLOCK W/  
 $\frac{1}{4}$ " - 14 x  $\frac{7}{8}$ " STITCH TEK 12" O/C

"WC-01" PANEL CLIP W/  
( )  $\frac{1}{4}$ " - 14 x \_ TEK 3 FASTENERS  
W/O WASHER AT PANEL JOINT

BUTYL SEALANT AT  
VERTICAL JOINT

3"  
WALL  
THICKNESS

FILL GAP CONTINUOUSLY WITH  
TWO-PART FOAMED-IN-PLACE  
URETHANE (NOT BY IMP SUPPLIER)

(3)  $\frac{1}{4}$ " - 14 x \_ TEK 3 FASTENERS  
W/ WASHER, PER PANEL  
(SPACED EVENLY)

BUTYL TAPE

EAVE STRUT  
(NOT BY IMP SUPPLIER)

# # EAVE W/ GUTTER

(SECTION VIEW)

NOTE: FIELD-REMOVE FOAM  
& LINER AT CUTBACK.

DETAIL: EAVE WITH GUTTER

DATE:	05/03/21	SHEET:	1
DRAWN BY:	MMF	OF	1

APPLICATION:  
HR ROOF, COLD-STORAGE  
AWIP DETAIL NUMBER:  
HRR-ACS-EG-001

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

**All Weather**  
Insulated Panels

