

HR_ INSIDE CLOSURE STRIP
W/ $\frac{3}{4}$ " x $\frac{3}{32}$ " BUTYL TAPE
SEALANT AT TOP & BOTTOM

NOTE: FIELD-REMOVE FOAM
& LINER AT CUTBACK.

$\frac{1}{4}$ - 14 x 0.88" HWH
DP1 6" O/C

"LE_ H" LOW EAVE TRIM

POP RIVETS 12" O/C

"WC-01" PANEL CLIP W/
() $\frac{1}{4}$ - 14 x _ HWH DP3 W/O
WASHER AT PANEL JOINT

BUTYL SEALANT AT
VERTICAL JOINT

FIELD-FILL W/ COMPRESSIBLE
INSULATION (NOT BY IMP SUPPLIER)

"SW-01" SADDLE WASHER W/
 $\frac{1}{4}$ - 14 x _ HWH DP3 W/
WASHER SPACED _ O/C
(PILOT HOLE RECOMMENDED)

BUTYL TAPE SEALANT

BUTYL TAPE SEALANT (MARRY
TO VERTICAL SEALANT)

EAVE STRUT
(NOT BY IMP SUPPLIER)

#

GUTTERLESS EAVE

(SECTION VIEW)

CLICK HERE



DETAIL:

GUTTERLESS EAVE

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather
Insulated Panels



APPLICATION:

HR ROOF, COMMERCIAL & INDUSTRIAL

AWIP DETAIL NUMBER:

HRR-ACI-GE-001

SHEET:

DATE: 04/30/25

DRAWN BY: MMF

1 OF 1