

NOTE: "SB-01" SEISMIC BRACE PLATE TO BE USED IN LIEU OF "PW-01" PLATE WASHERS AT ALL LOCATIONS SPECIFIED ON CEILING LAYOUT.

"PW-02" PLATE WASHER

4" PEEL & STICK BITUMEN MEMBRANE

"JC-01" JOINT COVER W/ PPH 12" O/C (STAGGERED)

(1) 1/2" Ø x 1 3/8" CLEVIS PIN W/ (1) SPLIT PIN

#12 - 14 x 1" TEK 3 PHILIPS PANCAKE HEAD 12" O/C

"AL-06" ALUMINUM CEILING TEE

(2) 1/2" Ø NUTS & WASHERS (NOT BY IMP SUPPLIER)

SECONDARY SUPPORT (NOT BY IMP SUPPLIER)

1/2" Ø GALVANIZED ALL-THREAD HANGER ROD (NOT BY IMP SUPPLIER)

1/2" Ø COUPLER NUT (AS REQUIRED; NOT BY IMP SUPPLIER)

(2) 1/2" Ø NUTS W/ (1) 1/2" Ø WASHER FENDER WASHERS W/ 7/8" Ø HOLE AS NEEDED FOR 4" THICK PANELS (NOT BY IMP SUPPLIER)

NOTE: FIELD-NOTCH PANELS AROUND CLEVIS ASSEMBLY / HANGER ROD AS NECESSARY.

(1) 1/2" Ø CLEVIS

FILL GAP W/ ONE-PART EXPANDING FOAM SEALANT (NOT BY IMP SUPPLIER)

1 1/2" (MAX.)

SUSPENDED CEILING W/ ALUMINUM TEE (AL-06)

(SECTION VIEW)

DETAIL:

SUSPENDED CEILING - AL-06 ALUMINUM TEE W/ CLEVIS

APPLICATION:	DATE:	SHEET:
CEILING, AMBIENT, COOLER	05/01/23	1
AWIP DETAIL NUMBER:	DRAWN BY:	OF 1
APC-AIC-SC-007	MMF	

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

