



FIELD-CUT THERMAL BREAK
AS REQUIRED

BUTYL SEALANT AT
VERTICAL JOINT

SIKA FLEX ONE-PART
POLYURETHANE SEALANT BY
OTHERS (NOT BY IMP SUPPLIER)

"BT-09" BASE TRIM W/
1/4 - 14 x 7/8" STITCH TEKS 12" O/C

SET PANEL IN POURABLE
SEALANT AS SHOWN
(NOT BY IMP SUPPLIER)

"BC-01" U-CHANNEL
SET IN GUN GRADE
BUTYL SEALANT

VAPOR BARRIER
(NOT BY IMP SUPPLIER)

SILICONE SEALANT AFTER
TEMPERTURE PULL-DOWN
(NOT BY IMP SUPPLIER)

FINISH FLOOR
(NOT BY IMP SUPPLIER)

FLOOR INSULATION
(NOT BY IMP
SUPPLIER)

VAPOR BARRIER
(NOT BY IMP SUPPLIER)

ONE-PART EXPANDING
FOAM SEALANT (OPTIONAL;
NOT BY IMP SUPPLIER)

CONCRETE ANCHORS
(NOT BY IMP SUPPLIER)

BASE CONDITION - COOLER/FREEZER

(SECTION VIEW)

DETAIL: **BASE CONDITION - COOLER/FREEZER**

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather
Insulated Panels



APPLICATION:
VERTICAL WALL, COLD-STORAGE

AWIP DETAIL NUMBER:
AWW-ACS-BC-001

DATE:
05/15/23

DRAWN BY:
MMF

SHEET:

1 OF 1