BUTYL SEALANT AT VERTICAL JOINT

SECONDARY FRAMING (NOT BY IMP SUPPLIER)

BUTYL SEALANT (MARRY TO VERTICAL SEALANT)

"HRC-___" METAL CLOSURE FASTENED AT BOTTOM ONLY, REFER TO SHEET ___ FOR FASTENING INFORMATION

"TF-02" TRANSITION FLASHING W/ #10 x $\frac{3}{4}$" PPH 12" O/C (SET TRIM IN BUTYL SEALANT)

(3) $\frac{1}{4}$ - 14 x ___ TEK 3 FASTENERS W/ WASHER, PER PANEL (SPACED EVENLY)

SECONDARY FRAMING (NOT BY IMP SUPPLIER)

"WC-01" PANEL CLIP W/ (_) $\frac{1}{4}$ - 14 x ___ TEK 3 FASTENERS W/O WASHER AT PANEL JOINT

"BT-02" UNIVERSAL L W/ POP RIVETS 12" O/C (SET TRIM IN BUTYL SEALANT)

HR_ OUTSIDE CLOSURE STRIP SET IN 1" x $\frac{3}{16}$" BUTYL TAPE SEALANT AT TOP AND BOTTOM

$\frac{1}{2}$"

"TF-01" TRANSITION FLASHING W/ $\frac{1}{4}$ - 14 x $\frac{7}{8}$" STITCH TEKS 6" O/C

"HRC-___" METAL CLOSURE REFER TO SHEET ___ FOR FASTENING INFORMATION

1" x $\frac{3}{16}$" BUTYL TAPE SEALANT AT TOP AND BOTTOM

HIGH EAVE TO WALL

(SECTION VIEW)

DETAIL: HIGH EAVE TO WALL
APPLICATION: HR ROOF, COMMERCIAL & INDUSTRIAL
AWIP DETAIL NUMBER: HRR-ACI-HEW-001

DATE: 05/15/23
DRAWN BY: MMF