

"BC-02" 20 GA CHANNEL CAP W/ #14 - 13
x 1½" TRUSS HEAD TEK FASTENERS 12"
O/C. W/ BUTYL SEALANT AT FLANGES
(MARRY TO VERTICAL SEALANT)

ANSI/SPRI GT-1 RATED EDGE
METAL ASSEMBLY & GUTTER
ASSEMBLY BY OTHERS (NOT BY
ONEDEK® SUPPLIER)

NOTE: GUTTER SYSTEM
SHOWN IN DETAIL MAY
NOT BE REPRESENTATIVE
OF WHAT IS INSTALLED ON
SITE. MEMBRANE
TERMINATION AND
SECUREMENT TO BE
DETERMINED BY ROOFING
CONTRACTOR.

FILL VOID WITH ONE-PART
EXPANDING FOAM SEALANT
CONTINUOUS THERMAL CUT FOR
COLD STORAGE APPLICATIONS

"WC-01" PANEL CLIP W/
() ¼ - 14 x _ TEK 3 FASTENERS
W/O WASHER AT PANEL JOINT

HOT-AIR WELDED _ 45 MIL REINFORCED FLASHING
(INQUIRE WITH ONEDEK® REPRESENTATIVE)

3" MIN.

ONEDEK® THERMOPLASTIC
ROOF MEMBRANE (SEE
"ONEDEK® ROOFING
MEMBRANE" FOR
ATTACHMENT OPTIONS)

#12 - 24 x _" TRUFEST PURLIN
FASTENERS W/ "RP-01" ROOF
DECK PLATE (REFER TO RD1
FASTENING SYSTEM)

BUTYL TAPE

EAVE STRUT (NOT BY
ONEDEK® SUPPLIER)

NOTE: BUTYL SEALANT AT
WALL JOINERY NOT SHOWN
FOR CLARITY. ENSURE ALL
SEALANTS MARRY TO CREATE
A THERMAL ENVELOPE.

GUTTER W/ PERIMETER EDGE METAL (GUTTER BY OTHERS)

(SECTION VIEW)

DETAIL: GUTTER W/ PERIMETER EDGE METAL (GUTTER BY OTHERS)	
APPLICATION:	DATE:
RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE	02/06/23
AWIP DETAIL NUMBER:	DRAWN BY:
RDR-CJCS-EG-001	MMF
SHEET:	OF
1	1

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

