

"WC-01" PANEL CLIP W/
(\square) $\frac{1}{4}$ - 14 x \square TEK 3 W/O
WASHER AT PANEL JOINT

SECONDARY FRAMING
(NOT BY ONEDEK[®] SUPPLIER)

NOTE: BUTYL SEALANT AT WALL
JOINERY NOT SHOWN FOR CLARITY.

FILL VOID WITH
COMPRESSIBLE INSULATION
(NOT BY ONEDEK[®] SUPPLIER)

CONTINUOUS THERMAL
CUT FOR COLD STORAGE
APPLICATIONS

#12 - 24 x \square " TRUFAST PURLIN
FASTENERS W/ "RP-01" ROOF DECK
PLATE (REFER TO RD1 FASTENING
SYSTEM)

UV RESISTANT POLYURETHANE SEALANT
BY OTHERS (NOT BY ONEDEK[®] SUPPLIER)

"BT-X7" FASCIA TRIM W/
 $\frac{1}{4}$ - 14 x $\frac{7}{8}$ " STITCH TEK 12" O/C

CONTINUOUS RETAINER FOR SINGLE PLY
MEMBRANE W/ FASTENERS 12" O/C MAX.
(NOT BY ONEDEK[®] SUPPLIER)

HOT-AIR WELD & CUT EDGE SEALANT
(NOT BY ONEDEK[®] SUPPLIER)

ONEDEK[®] THERMOPLASTIC
ROOF MEMBRANE (SEE
"ONEDEK[®] ROOFING MEMBRANE"
FOR ATTACHMENT OPTIONS)

55 MIL
UNREINFORCED
FLASHING

EXPANSION JOINT
(NOT BY ONEDEK[®]
SUPPLIER)

SECONDARY FRAMING
(NOT BY ONEDEK[®]
SUPPLIER)

BASE FLASHING AT ROOF-TO-WALL EXPANSION JOINT (HIGH EAVE)

(SECTION VIEW)

DETAIL:

ROOF-TO-WALL EXPANSION JOINT (HIGH EAVE)

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather
Insulated Panels



APPLICATION:
RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE
AWIP DETAIL NUMBER:
RDR-CICS-EJ-002

DATE:
06/28/22

DRAWN BY:
MMF

SHEET:
1 OF 1