

"WC-01" PANEL CLIP W/
(\square) $\frac{1}{4}$ - 14 x $\frac{1}{8}$ TEK 3 W/O
WASHER AT PANEL JOINT

SECONDARY FRAMING
(NOT BY ONEDEK[®]
SUPPLIER)

ADHERED ONEDEK[®] FLASHING

#15 - 13 x 1 $\frac{1}{4}$ " TRUSS HEAD
FASTENERS W/ "RP-02" BARBED
MEMBRANE PLATE 6" O/C

FILL VOID WITH
ONE-PART EXPANDING
FOAM SEALANT

CONTINUOUS THERMAL
CUT FOR COLD STORAGE
APPLICATIONS

#12 - 24 x $\frac{1}{2}$ " TRUFAST PURLIN
FASTENERS W/ "RP-01" ROOF DECK
PLATE (REFER TO RD1 FASTENING
SYSTEM)

UV RESISTANT POLYURETHANE SEALANT
BY OTHERS (NOT BY ONEDEK[®] SUPPLIER)

"BT-07" FASCIA TRIM W/
 $\frac{1}{4}$ - 14 x $\frac{7}{8}$ " STITCH TEK 12" O/C

CONTINUOUS RETAINER FOR SINGLE PLY
MEMBRANE W/ FASTENERS 12" O/C MAX.
(NOT BY ONEDEK[®] SUPPLIER)

1 $\frac{1}{2}$ "
MIN. WELD
(CONTINUOUS)

ONEDEK[®]
THERMOPLASTIC
ROOF MEMBRANE
(SEE "ONEDEK[®]
ROOFING
MEMBRANE" FOR
ATTACHMENT
OPTIONS)

SECONDARY FRAMING
(NOT BY ONEDEK[®] SUPPLIER)

NOTE: BUTYL SEALANT AT WALL
JOINERY NOT SHOWN FOR CLARITY.

BASE FLASHING W/ SURFACE-MOUNTED COUNTERFLASHING (HIGH EAVE)

(SECTION VIEW)

DETAIL:

SURFACE-MOUNTED COUNTERFLASHING (HIGH EAVE)

APPLICATION:

RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE

AWIP DETAIL NUMBER:

RDR-CICS-HEW-002

DATE:

11/07/22

DRAWN BY:

MMF

SHEET:

1 OF 1

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather
Insulated Panels

