



"WC-01" PANEL CLIP W/
 () 1/4 - 14 x 3/8 W/O
 WASHER AT PANEL JOINT

SECONDARY FRAMING
 (NOT BY ONEDEK®
 SUPPLIER)

ADHERED ONEDEK® FLASHING

FILL VOID WITH
 ONE-PART EXPANDING
 FOAM SEALANT

CONTINUOUS THERMAL
 CUT FOR COLD STORAGE
 APPLICATIONS

NOTE: BUTYL SEALANT AT WALL
 JOINERY NOT SHOWN FOR CLARITY.

#12 - 24 x 1/2" TRUFAST PURLIN
 FASTENERS W/ "RP-01" ROOF DECK
 PLATE 6" O/C

UV RESISTANT POLYURETHANE SEALANT
 BY OTHERS (NOT BY ONEDEK® SUPPLIER)

"BT-07" FASCIA TRIM W/
 1/4 - 14 x 7/8" STITCH TEK 12" O/C

CONTINUOUS RETAINER FOR SINGLE PLY
 MEMBRANE W/ FASTENERS 12" O/C MAX.
 (NOT BY ONEDEK® SUPPLIER)

MIN. WELD
 (CONTINUOUS)

1/2"

ONEDEK®
 THERMOPLASTIC
 ROOF MEMBRANE
 (SEE "ONEDEK®
 ROOFING MEMBRANE"
 FOR ATTACHMENT
 OPTIONS)

#15 - 13 x 1 1/4" TRUSS HEAD
 FASTENERS W/ "RP-02" BARBED
 MEMBRANE PLATE 6" O/C

SECONDARY FRAMING
 (NOT BY ONEDEK®
 SUPPLIER)

BASE FLASHING W/ SURFACE-MOUNTED COUNTERFLASHING (RAKE)

(SECTION VIEW)

DETAIL: SURFACE-MOUNTED COUNTERFLASHING (RAKE)

| | | | | | |
|---------------------|--|-----------|-----|----|---|
| DATE: | 11/07/22 | SHEET: | 1 | OF | 1 |
| APPLICATION: | RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE | DRAWN BY: | MMF | | |
| AWIP DETAIL NUMBER: | RDR-CJCS-RW-002 | | | | |

929 ALDRIDGE ROAD
 VACAVILLE, CA 95688
 TEL: (707) 359-2280
 FAX: (707) 359-2286
 WWW.AWIPANELS.COM

