

All Weather Insulated Panels

# Color Chart & Finishes



**All Weather**  
Insulated Panels

**Your vision. Our purpose.**



Cuisine Solutions | San Antonio, TX



Aperture Cellars | Healdsburg, CA




Great Park Ice & Fivepoint Arena | Irvine, CA

## Colors

All Weather Insulated Panels (AWIP) offers factory coating solutions for a multitude of building designs and performance requirements. Equipped with the latest cool color pigment technologies and a variety of specific formulations to protect your building envelope from the outside or the inside, AWIP has the paint system to match your task.

- Embossed metal surfaces are offered as a standard on wall panels and non-embossed (smooth) for roof panels. Non-embossed finishes may be available on wall panels upon request depending on color, gauge and end use.
- Premium colors, paint systems and special orders are subject to higher pricing and extended lead times.
- Complete paint system specifications and standard finish warranties are available upon request.

### Standard SMP



IMPERIAL WHITE  
SR .70 | E .86 | SRI 85



POLAR WHITE  
SR .60 | E .87 | SRI 71



LIGHT STONE  
SR .56 | E .87 | SRI 66



SANDSTONE  
SR .60 | E .86 | SRI 71



BURNISHED SLATE  
SR .32 | E .87 | SRI 33



SURREY BEIGE  
SR .53 | E .86 | SRI 61

### Premium SMP



ASH GRAY  
SR .46 | E .87 | SRI 52



GRIZZLE GRAY  
SR .33 | E .87 | SRI 35



ALMOND  
SR .63 | E .86 | SRI 75



TUNDRA  
SR .44 | E .87 | SRI 49

### AdobeTexture®



REGAL WHITE  
SR .68 | E .87 | SRI 82



PEARL GRAY  
SR .45 | E .88 | SRI 51




SANDSTONE  
SR .58 | E .87 | SRI 68



SURREY BEIGE  
SR .48 | E .87 | SRI 51

### Standard Interior Polyester



IMPERIAL WHITE  
SR .66 | E .85 | SRI 79

**Finish systems give you measurable performance while colors help punctuate your design. Timeless or contemporary, All Weather Insulated Panels has your project covered!**

The colors shown here are representative only and not necessarily true reproductions of actual coating colors. All performance data (SR, E and SRI) listed for SMP and PVDF, unless otherwise noted, are for AW500 and AW1000 finish systems, respectively.


For further information regarding color availability in nonstandard finish systems, please contact your local sales representative. Color chips are available upon request.

# Colors

All Weather Insulated Panels (AWIP) offers factory coating solutions for a multitude of building designs and performance requirements. Equipped with the latest cool color pigment technologies and a variety of specific formulations to protect your building envelope from the outside or the inside, AWIP has the paint system to match your task.

- Embossed metal surfaces are offered as a standard on wall panels and non-embossed (smooth) for roof panels. Non-embossed finishes may be available on wall panels upon request depending on color, gauge and end use.
- Premium colors, paint systems and special orders are subject to higher pricing and extended lead times.
- Complete paint system specifications and standard finish warranties are available upon request.

## Standard SMP



IMPERIAL WHITE  
SR .70 | E .86 | SRI 85




POLAR WHITE  
SR .60 | E .87 | SRI 71



LIGHT STONE  
SR .56 | E .87 | SRI 66



SANDSTONE  
SR .60 | E .86 | SRI 71



BURNISHED SLATE  
SR .32 | E .87 | SRI 33



SURREY BEIGE  
SR .53 | E .86 | SRI 61

## Premium SMP



ASH GRAY  
SR .46 | E .87 | SRI 52



GRIZZLE GRAY  
SR .33 | E .87 | SRI 35



ALMOND  
SR .63 | E .86 | SRI 75



TUNDRA  
SR .44 | E .87 | SRI 49

## AdobeTexture®



REGAL WHITE  
SR .68 | E .87 | SRI 82



PEARL GRAY  
SR .45 | E .88 | SRI 51




SANDSTONE  
SR .58 | E .87 | SRI 68



SURREY BEIGE  
SR .48 | E .87 | SRI 51

## Standard Interior Polyester




IMPERIAL WHITE  
SR .66 | E .85 | SRI 79


The colors shown here are representative only and not necessarily true reproductions of actual coating colors. All performance data (SR, E and SRI) listed for SMP and PVDF, unless otherwise noted, are for AW500 and AW1000 finish systems, respectively.

For further information regarding color availability in nonstandard finish systems, please contact your local sales representative. Color chips are available upon request.

## Standard PVDF\*



REGAL WHITE  
SR .72 | E .87 | SRI 88



LIGHT FRENCH GRAY  
SR .60 | E .87 | SRI 71



PEARL GRAY  
SR .49 | E .86 | SRI 56



TUNDRA  
SR .45 | E .87 | SRI 51



ALMOND  
SR .63 | E .87 | SRI 75



SURREY BEIGE  
SR .48 | E .85 | SRI 54



MEDIUM BRONZE  
SR .33 | E .86 | SRI 34




REDDENED EARTH  
SR .44 | E .86 | SRI 49



SLATE GRAY  
SR .40 | E .87 | SRI 44



SANDSTONE  
SR .61 | E .85 | SRI 72



WARM WHITE  
SR .64 | E .87 | SRI 77



ROYAL BLUE  
SR .29 | E .86 | SRI 29

## Premium PVDF\*



SNOW WHITE  
SR .67 | E .87 | SRI 81



PEPPERCORN  
SR .33 | E .87 | SRI 35



VIRTUAL TAUPE  
SR .40 | E .87 | SRI 44



WEATHERED COPPER  
SR .28 | E .87 | SRI 28



COLONIAL RED\*\*  
SR .33 | E .87 | SRI 35



EVERGREEN  
SR .28 | E .86 | SRI 27



SLATE BLUE  
SR .30 | E .87 | SRI 31



NAVAL  
SR .29 | E .87 | SRI 29

## PVDF - MICA (2 COAT)\*



PEWTER  
SR .44 | E .84 | SRI 48



CHAMPAGNE METALLIC BRONZE  
SR .34 | E .84 | SRI 35



CORTEN STEEL  
SR .35 | E .88 | SRI 38



TEXTURED BRONZE  
SR .34 | E .88 | SRI 48


\*AWIP reserves the right to supply FEVE resin as a substitute for PVDF based on availability with or without notice. This substitution will not impact warranty or performance of the paint system.

\*\*AW1250 Finish System


# Finishes

In addition to our standard paint systems, AWIP can provide high build coil coat systems formulated to withstand a variety of aggressive environments. Specifically, these expertly formulated paint finishes act not only as an excellent barrier against corrosive or extreme weather conditions but will enhance resistance to surface chalk and fade.


Non-embossed finishes may be available upon request depending on color, gauge and end use. The standard interior paint finish for all panels is Imperial White AW100 Polyester.




**AW100 Polyester**  
Standard Interior Finish  
① .75 mil nominal top coat  
② .25 mil nominal primer  
③ Substrate




**AW250 AdobeTexture® Stucco Finish**  
① .8 mil nominal top coat  
② .2 mil nominal primer  
③ Substrate




**AW500 SMP**  
Solid Color Exterior Finish  
① .75 mil nominal top coat  
② .25 mil nominal primer  
③ Substrate




**AW750 Plastisol/PVC**  
Durable Interior Washdown  
① 4.0 mil nominal top coat  
② .15 mil nominal primer  
③ Substrate




**AW1000/1250 PVDF/FEVE**  
High Performance Exterior Coating  
① .75 mil nominal top coat  
② .25 mil nominal primer  
③ Substrate




**AW1500/1750 PVDF/FEVE-Mica**  
Exterior Finish with Iridescent Shine  
① .75 mil nominal top coat  
② .25 mil nominal primer  
③ Substrate




**AW2000/2250 PVDF/FEVE-High Build**  
High Build Exterior Finish  
① .75 mil nominal top coat  
② 1.0 mil nominal primer  
③ Substrate




**AW2500 PVDF-Coastal**  
Standard Coastal Finish  
① .75 mil nominal top coat  
② 1.1 nominal primer  
③ Substrate



**AW3000/3250 PVDF/FEVE-Metallic**  
Exterior Metallic with Clear Coat  
① .50 mil nominal clear coat  
② .75 mil nominal top coat  
③ .2 mil nominal primer  
④ Substrate



**AW4000/4250 PVDF/FEVE-High Performance**  
High Build Exterior Coating for Harsh Conditions  
① .75 mil nominal top coat  
② 3 coats 1.0 mil nominal primer  
③ Substrate



**AW4500 PVDF-Coastal**  
High Build Coastal Finish  
① .75 mil nominal top coat  
② 3 coats 1.0 mil nominal primer  
③ Substrate



Scan for the most current product information

**SHERWIN-WILLIAMS®**  
**Coil Coatings**

Sherwin-Williams® trademark of SWIMC LLC.

In accordance with ongoing efforts to improve our products and their performance, All Weather Insulated Panels reserves the right to change without notice the specifications contained herein. The contents herein are for general information and illustrative purposes only and are not intended to serve as any type of advice. Every effort is made to ensure the accuracy of the information included in this brochure and it is believed that the information contained herein is accurate and reliable as of the date of this publication. All Weather Insulated Panels does not warrant or represent the accuracy or reliability of any information included in this collateral. Any reliance of any information without consultation with All Weather Insulated Panels or a duly authorized representative shall be at the user's own risk. Copyright 2023 All Weather Insulated Panels — All rights reserved.

AWIP|003|08/24/2023



**All Weather**  
Insulated Panels

1 (888) 970-AWIP (2947)  
[awipanel.com](http://awipanel.com)  
[sales@awipanel.com](mailto:sales@awipanel.com)

